



## Yuasa Technisches Datenblatt

### Yuasa YBX9019 - YBX9000 AGM Start Stop Plus Batterien

#### Leistung

Spannung	12V
Kapazität 20 Std (vorgegeben)	95Ah
Kaltstartstrom (A) EN1	850A

#### Abmessungen

Länge	353mm
Breite	175mm
Höhe	190mm

#### Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure	25.6kg
----------------------------------------	--------



#### Gehäuseeigenschaften

Gehäusotyp	L5 DIN AGM
Anschlusspol Typ	T1
Batteriehälter	B3
Tragegriffe	✓
Entgasung	✓
Semi Traktionseigenschaften	✓
Deckel Typ	VRLA


#### Technologie

Flammschutz	✓
Technologie	Ca/Ca VRLA
Separator	AGM
VDA Überroll Test	✓
Ladestrom	5A
Performance Marking	W5-C2-V3-M3

#### Anschlusspol Typ

##### T1


Standard DIN Post



Positive Terminal


Negative Terminal

#### Zellenanordnung



0

#### Batteriehälter



Ausstellungsdatum: 14/12/2019 - E&EO



## Yuasa Technical Data Sheet

### Yuasa YBX9019 - YBX9000 AGM Start Stop Plus Batteries

#### Performance

Voltage	12V
Capacity (20-hour)	95Ah
Cold Cranking Amps (EN1)	850A

#### Dimensions

Length	353mm
Width	175mm
Height	190mm

#### Weights & Measures

Mean Weight with Acid	25.6kg
-----------------------	--------



#### Container Features

Case Type	L5 DIN AGM
Terminal Type	T1
Hold Down	B3
Handles	✓
End Venting	✓
Semi-Traction Features	✓
Lid Type	VRLA


#### Technology

Flame Arrestor Technology	✓
Separator	Ca/Ca VRLA AGM
VDA Roll Over Test	✓
Recommended Charge Rate	5A
Performance Marking	W5-C2-V3-M3

#### Terminal Type

##### T1


Standard DIN Post




Positive Terminal

Negative Terminal

#### Cell Assembly Layout



#### Battery Hold-down



Data Sheet generated on 14/12/2019 - E&OE