



Yuasa Technisches Datenblatt

Yuasa HJ-S34B20R

Leistung

Spannung 12V
 Kapazität 20 Std (vorgegeben) 35Ah
 Kaltstartstrom (A) EN1 272A

Abmessungen

Länge 197mm
 Breite 129mm
 Höhe 227mm

Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure 10.5kg



Gehäuseeigenschaften


Gehäusotyp B20 JIS AGM
 Zellendarstellung 1
 Batteriehalter N
 Tragegriffe ✓
 Semi Traktionseigenschaften ✓
 Deckel Typ VRLA

Technologie


Flammschutz ✓
 Technologie Ca/Ca VRLA
 Separator AGM
 Vibration V1 (30Hz/3g/2hr)
 Ladestrom 2A
 Performance Marking W5-C2-V2-E2

Anschlusspol Typ

T3
 Small Japanese
 JIS Terminal



Zellenanordnung



Batteriehalter



Ausstellungsdatum: 18/10/2019 - E&EO



Yuasa Technical Data Sheet

Yuasa HJ-S34B20R

Performance

Voltage	12V
Capacity (20-hour)	35Ah
Cold Cranking Amps (EN1)	272A

Dimensions

Length	197mm
Width	129mm
Height	227mm

Weights & Measures

Mean Weight with Acid	10.5kg
-----------------------	--------



Container Features


Case Type	B20 JIS AGM
Cell Layout	1
Hold Down	N
Handles	✓
Semi-Traction Features	✓
Lid Type	VRLA

Technology


Flame Arrestor	✓
Technology	Ca/Ca VRLA
Separator	AGM
Vibration	V1 (30Hz/3g/2hr)
Recommended Charge Rate	2A
Performance Marking	W5-C2-V2-E2

Terminal Type

T3
Small Japanese
JIS Terminal



Cell Assembly Layout



Battery Hold-down



Data Sheet generated on 18/10/2019 - E&OE